

ATTACHMENT 14

Exhibit Copying-2 – Evidence of Command Copying

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
1.	aaa accounting	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	aaa accounting	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 13, 206	August 31, 2010 EOS 4.7	I
2.	aaa accounting dot1x	IOS XE 3.5; NX-OS 4.0 through 6.2	aaa accounting dot1x	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 13, 207	July 8, 2013 4.13.3	I

¹ At the end of this table I have provided an index correlating the specific EOS version numbers listed in this column to their corresponding user manual. My analysis is also based on my review of Arista source code, Cisco source code, documentation produced by the parties, deposition testimony, as well as testing of Cisco and Arista switches.

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
3.	aaa authentication login	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	aaa authentication login	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 13, 210	June 15, 2008 2.1.0	I
4.	aaa authorization config-commands	Cisco IOS 11.2 through 15.4; IOS XE 3.5	aaa authorization config-commands	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 13, 214	October 3, 2008 3.0.0	I
5.	aaa authorization console	Cisco IOS 12.0 through 15.4; IOS XE 3.5	aaa authorization console	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 13, 215	March 17, 2010 4.4.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
6.	aaa group server radius	Cisco IOS 12.0 through 15.4; IOS XR 3.2 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	aaa group server radius	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 13, 218	May 19,2009 4.2.0	I
7.	aaa group server tacacs+	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	aaa group server tacacs+	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 13, 219	June 16, 2008 2.1.0	I
8.	address-family	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	address-family	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 33, 1617, 1737	Feb. 13, 2012 4.10.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
9.	aggregate-address	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1; NX-OS 4.0 through 6.2	aggregate-address	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 31, 1428, 1402, 1618	October 16, 2011 4.8.2	I
10.	area default-cost	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	area default-cost (OSPFv3) ²	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1553	April 27, 2009 4.3.0	I
11.	area default-cost	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	area default-cost (OSPFv2)	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1470	April 27, 2009 4.3.0	I

² The use of the qualifiers “OSPFv3” or “OSPFv2” in certain instances indicates the routing mode and does not change my opinions with respect to whether a command is identical or similar. I understand that these qualifiers are not part of the Arista command syntax, and thus do not impact my opinions that certain Cisco multi-word command expressions are identical to certain Arista multi-word command expressions. Unless otherwise noted, this analysis applies throughout my report.

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
12.	area nssa	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	area nssa (OSPFv2)	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1472	April 27, 2009 4.3.0	I
13.	area nssa	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	area nssa (OSPFv3)	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1554	September 16, 2012 4.11.0	I
14.	area nssa default- information- originate	Cisco IOS 11.0 through 15.4; NX-OS 4.0 through 6.2	area nssa default- information- originate (OSPFv2)	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1473	April 27, 2009 4.3.0	I
15.	area nssa default- information- originate	Cisco IOS 11.0 through 15.4; NX-OS 4.0 through 6.2	area nssa default- information- originate (OSPFv3)	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F 4.15.3F, User Manual, p. 30, 1555	September 25, 2012 4.11.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
16.	area nssa no-summary	Cisco IOS 11.0 through 15.4; NX-OS 4.0 through 6.2	area nssa no-summary (OSPFv2)	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1475	February 5, 2013 4.10.6	I
17.	area nssa translate type7 always	Cisco IOS 15.1 through 15.4; NX-OS 4.0 through 6.2	area nssa translate type7 always (OSPFv2)	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1476	April 15, 2011 4.8.1	I
18.	area nssa translate type7 always	Cisco IOS 15.1 through 15.4; NX-OS 4.0 through 6.2	area nssa translate type7 always (OSPFv3)	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1556	September 26, 2012 4.11.0	I
19.	area range	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	area range (OSPFv3)	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1557	August 17, 2012 4.11.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
20.	area range	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	area range (OSPFv2)	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1477	April 27, 2009 4.3.0	I
21.	area stub	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	area stub (OSPFv2)	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1478	April 27, 2009 4.3.0	I
22.	area stub	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	area stub (OSPFv3)	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1558	September 13, 2011 4.10.0	I
23.	arp timeout	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	arp timeout	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 26, 1315	March 26, 2012 4.10.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
24.	banner login	Cisco IOS 11.1 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	banner login	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 14, 280	June 23, 2008 2.2.0	I
25.	banner motd	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1; NX-OS 4.0 through 6.2	banner motd	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 14, 281	June 23, 2008 2.2.0	I
26.	bfd all-interfaces	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5	bfd all-interfaces	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 34, 1796	February 25, 2013 4.12.3	I
27.	bgp client-to-client reflection	Cisco IOS 11.1 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5	bgp client-to-client reflection	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1621	October 31, 2011 4.8.3	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
28.	bgp cluster-id	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; ; IOS XE 3.5	bgp cluster-id	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1622	October 31, 2011 4.8.3	I
29.	bgp confederation identifier	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; ; IOS XE 3.5	bgp confederation identifier	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1623	February 1, 2013 4.11.3	I
30.	bgp confederation peers	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; ; IOS XE 3.5; NX-OS 4.0 through 6.2	bgp confederation peers	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1624	February 1, 2013 4.11.3	I
31.	bgp listen limit	Cisco IOS 12.2 through 15.4; ; IOS XE 3.5	bgp listen limit	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1628	May 1, 2011 4.7.4	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
32.	bgp log-neighbor-changes	Cisco IOS 11.1 through 15.4; IOS XR 3.0 through 3.5; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	bgp log-neighbor-changes	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1630	November 1, 2009 4.4.0	I
33.	bgp redistribute-internal	Cisco IOS 12.1 through 15.4; IOS XR 3.0 through 5.2; ; IOS XE 3.5	bgp redistribute-internal (BGP)	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1631	December 1, 2012 4.12.0	I
34.	boot system	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	boot system	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 15, 376	June 1, 2006 2.0.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
35.	channel-group	Cisco IOS 11.3 through 15.4; IOS XR 4.3 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	channel-group	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 16, 491	January 28, 2008 2.0.0	I
36.	class-map type control-plane	NX-OS 4.0 through 6.2	class-map type control-plane	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 26, 1235	January 20, 2012 4.10.0	I
37.	clear arp-cache	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	clear arp-cache	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 26, 1316	January 26, 2009 4.0.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
38.	clear counters	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	clear counters	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 19, 670	June 10, 2008 2.1.0	I
39.	clear ip arp	NX-OS 4.0 through 6.2	clear ip arp	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1317	April 27, 2010 4.5.0	I
40.	clear ip bgp	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	clear ip bgp	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1632	January 1, 2010 4.4.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
41.	clear ip igmp group	Cisco IOS 11.0 through 15.4; IOS XE 3.5	clear ip igmp group	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 34, 1847	May 24, 2010 4.5.0	I
42.	clear ip mroute	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	clear ip mroute	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 34, 1814	June 25, 2010 4.5.0	I
43.	clear ip msdp sa-cache	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	clear ip msdp sa-cache	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1976	December 3, 2012 4.11.1	I
44.	clear ip nat translation	Cisco IOS 11.2 through 15.4; IOS XE 3.5	clear ip nat translation	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1320	November 20, 2012 4.11.1	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
45.	clear ip ospf neighbor	Cisco IOS 11.1 through 15.4; NX-OS 4.0 through 6.2	clear ip ospf neighbor	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1480	January 8, 2003 4.12.3	I
46.	clear ipv6 neighbors	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	clear ipv6 neighbors	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1397	December 29, 2013 4.13.3-13scale	I
47.	clear ipv6 ospf force-spf	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	clear ipv6 ospf force-spf	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1559	December 20, 2011 4.10.0	I
48.	clear lldp counters	Cisco IOS 12.2 through 15.4; IOS XR 5.2; IOS XE 3.5	clear lldp counters	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 18, 625	June 10, 2009 4.2.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
49.	clear lldp table	Cisco IOS 12.2 through 15.4; IOS XR 5.2; IOS XE 3.5	clear lldp table	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 18, 626	July 7, 2010 4.6.2	I
50.	clear mac-address-table dynamic	Cisco IOS 12.2 through 15.0; NX-OS 4.0 through 6.2	clear mac address-table dynamic	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 19, 672	August 4, 2008 2.3.0	I
51.	clear spanning-tree counters	NX-OS 4.0 through 6.2	clear spanning-tree counters	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 23, 1002	December 14, 2007 2.0.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
52.	clock set	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	clock set	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 14, 283	May 24, 2007 2.0.0	I
53.	clock timezone	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	clock timezone	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 14, 284	May 28, 2007 2.0.0	I
54.	control-plane	Cisco IOS 12.2 through 15.4; IOS XR 3.5 through 5.2; IOS XE 2.1 through 3.5; NX-OS 6.2	control-plane	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 19, 674	August 22, 2009 4.3.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
55.	default-information originate (OSPF)	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	default-information originate (OSPFv2)	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1482	August 13, 2012 4.11.0	I
56.	default-information originate (OSPFv3)	Cisco IOS 15.1 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	default-information originate (OSPFv3)	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1560	September 24, 2012 4.11.0	I
57.						
58.	default-metric (OSPFv3)	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1; NX-OS 4.0 through 6.2	default-metric (OSPFv3)	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1561	September 13, 2011 4.10.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
59.	distance bgp	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	distance bgp	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1638	October 1, 2010 4.6.0	
60.	domain-id	Cisco IOS 12.1 through 15.4; IOS XR 3.3 through 5.2; IOS XE 3.5	domain-id	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 17, 558	June 24, 2009 4.3.0	I
61.	dot1x max-reauth-req	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	dot1x max-reauth-req	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 18, 589	June 20, 2013 4.13.3	I
62.	dot1x pae authenticator	Cisco IOS 12.4 through 15.4; IOS XE 3.5; NX-OS 5.0 through 6.2	dot1x pae authenticator	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 18, 590	July 8, 2013 4.13.3	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
63.	dot1x port-control	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	dot1x port-control	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 18, 591	June 20, 2013 4.13.3	I
64.	dot1x reauthentication	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	dot1x reauthentication	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 18, 592	June 20, 2013 4.13.3	I
65.	dot1x system-auth-control	Cisco IOS 12.4 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	dot1x system-auth-control	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 18, 588	June 20, 2013 4.13.3	I
66.	dot1x timeout quiet-period	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	dot1x timeout quiet-period	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 18, 593	June 20, 2013 4.13.3	I
67.	dot1x timeout reauth-period	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	dot1x timeout reauth-period	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 18, 594	June 20, 2013 4.13.3	I
68.	dot1x timeout tx-period	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	dot1x timeout tx-period	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 18, 595	June 20, 2013 4.13.3	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
69.	enable secret	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	enable secret	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 13, 225	October 7, 2005 1.0.0	I
70.	erase startup-config	Cisco IOS 11.0 through 15.4; IOS XE 2.1;	erase startup-config	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.15.3F, User Manual, p. 15, 377	January 2006 ³	I
71.	errdisable detect cause link- flap	Cisco IOS 12.2 through 15.4	errdisable detect cause link- flap	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 19, 677	September 30, 2010 4.6.0	I

³ Arista's response to Interrogatory No. 26 claims that "erase startup-config" is not a command supported by EOS. However, Arista's response to Interrogatory No. 9 states that this command was implemented in January 2006 by James Lingard. Arista's user manuals confirm EOS's use of "erase startup-config" as well. *E.g.*, at CSI-CLI-00007244 at -7291; CSI-CLI-00007473 at -7546; CLI-00006858 at CLI-00006964.

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
72.	errdisable recovery cause	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	errdisable recovery cause	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 19, 679	December 16, 2008 3.1.0	I
73.	errdisable recovery interval	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	errdisable recovery interval	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 19, 680	December 16, 2008 3.1.0	I
74.	flowcontrol receive	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	flowcontrol receive	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 16, 452	May, 19, 2006 2.0.0	I
75.	flowcontrol send	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	flowcontrol send	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 16, 453	May, 19, 2006 2.0.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
76.	interface ethernet	IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	interface ethernet	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 16, 456	September 22, 2005-November 15, 2005 2.0.0	I
77.	interface loopback	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	interface loopback	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 19, 681	May 13, 2009 4.2.0	I
78.	interface port-channel	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	interface port-channel	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 16, 498	January 28, 2008 2.0.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
79.	interface vlan	Cisco IOS 11.3 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	interface vlan	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 21, 803	April 11, 2006 2.0.0	I
80.	ip access-group	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip access-group	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 22, 899	August 22, 2009 4.3.0	I
81.	ip access-list	Cisco IOS 11.2 through 15.4; IOS XR 3.0 through 3.3; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip access-list	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 22, 900	August 22, 2009 4.3.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
82.	ip access-list standard	Cisco IOS 11.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 6.2	ip access-list standard	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 22, 901	August 25, 2010 4.6.0	I
83.	ip address	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip address	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1322	September 22, 2005 2.0.0	I
84.	ip as-path access-list	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 3.3; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip as-path access-list	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1641	September 1, 2010 4.6.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
85.	ip community-list expanded	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip community-list expanded	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1643	September 1, 2011 4.8.1	I
86.	ip community-list standard	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip community-list standard	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1644	September 1, 2011 4.8.1	I
87.	ip dhcp smart-relay	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 5.2 through 6.2	ip dhcp smart-relay	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1326-27	April 24, 2013 4.12.4	I
88.	ip dhcp smart-relay global	IOS XE 3.5; NX-OS 5.2 through 6.2	ip dhcp smart-relay global	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1328	May 1, 2013 4.12.4	I
89.	ip dhcp snooping	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip dhcp snooping	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 17, 1329	June 4, 2013 4.13.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
90.	ip dhcp snooping information option	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip dhcp snooping information option	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1330	June 4, 2013 4.13.0	I
91.	ip dhcp snooping vlan	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip dhcp snooping vlan	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1331	June 4, 2013 4.13.0	I
92.	ip domain lookup	Cisco IOS 11.0 through 15.4; IOS XR 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip domain lookup	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 14, 295	July 13, 2012 4.11.0	I
93.	ip domain name	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip domain-name	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 14, 296	September 15, 2011 2.0.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
94.	ip extcommunity-list expanded	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 5.0 through 6.2	ip extcommunity-list expanded	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1645	September 1, 2011 4.8.1	I
95.	ip extcommunity-list standard	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 5.0 through 6.2	ip extcommunity-list standard	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1646	September 1, 2011 4.8.1	I
96.	ip helper-address	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	ip helper-address	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1333	May 5, 2011 4.8.2	I
97.	ip host	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip host	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 14, 297	July 21, 2011 4.10.0 4.9.4	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
98.	ip http client source-interface	Cisco IOS 12.4 through 15.4; IOS XE 2.1 through 3.5	ip http client source-interface	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 12, 142	April 15, 2011 4.8.1	I
99.	ip icmp redirect	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	ip icmp redirect	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1334	October 24, 2011 4.8.1	I
100.	ip igmp last-member-query-count	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip igmp last-member-query-count	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 34, 1853	April 19, 2010 4.5.0	I
101.	ip igmp last-member-query-interval	Cisco IOS 12.1 through 15.4; IOS XE 3.5	ip igmp last-member-query-interval	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 34, 1854	April 19, 2010 4.5.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
102.	ip igmp query-interval	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip igmp query-interval	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 34, 1857	April 19, 2010 4.5.0	I
103.	ip igmp query-max-response-time	Cisco IOS 11.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip igmp query-max-response-time	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 34, 1858	April 19, 2010 4.5.0	I
104.	ip igmp snooping	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip igmp snooping	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 34, 1860	August 28, 2008 2.3.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
105.	ip igmp snooping querier	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip igmp snooping querier	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 35, 1862	August 28, 2008 2.3.0	I
106.	ip igmp snooping vlan	Cisco IOS 12.0 through 15.4; IOS XE 3.5	ip igmp snooping vlan	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 35, 1875	August 28, 2008 2.3.0	I
107.	ip igmp snooping vlan immediate-leave	Cisco IOS 12.0 through 15.4; IOS XE 3.5	ip igmp snooping vlan immediate-leave	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 35, 1876	June 23, 2011 4.7.5	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
108.	ip igmp snooping vlan mrouter	Cisco IOS 12.0 through 15.4; IOS XE 3.5	ip igmp snooping vlan mrouter	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 35, 1878	August 28, 2008 2.3.0	I
109.	ip igmp snooping vlan static	Cisco IOS 12.0 through 15.4; IOS XE 3.5	ip igmp snooping vlan static	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 35, 1891	August 28, 2008 2.3.0	I
110.	ip igmp startup-query- interval	NX-OS 4.0 through 6.2	ip igmp startup-query- interval	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 35, 1893	April 19, 2010 4.5.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
111.	ip igmp startup-query-count	NX-OS 4.0 through 6.2	ip igmp startup-query-count	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 35, 1892	April 19, 2010 4.5.0	I
112.	ip igmp static-group	Cisco IOS 11.2 through 15.4; IOS XE 3.5	ip igmp static-group	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 35, 1894	April 19, 2010 4.5.0	I
113.	ip igmp version	Cisco IOS 11.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip igmp version	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 35, 1898	April 19, 2010 4.5.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
114.	ip load-sharing	Cisco IOS 11.2 through 15.4; IOS XE 2.1 through 3.5	ip load-sharing	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1335	March 6, 2009 4.0.0	I
115.	ip local-proxy-arp	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip local-proxy-arp	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1336	March 14, 2012 4.9.2	I
116.	ip msdp cache-sa-state	Cisco IOS 12.0 through 15.4; IOS XE 3.5	ip msdp cache-sa-state	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1977	February 28, 2012 4.11.0	I
117.	ip msdp default-peer	Cisco IOS 12.0 through 15.4; IOS XE 3.5	ip msdp default-peer	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1978	August 14, 2012 4.11.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
118.	ip msdp description	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip msdp description	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1979	May 9, 2012 4.11.0	I
119.	ip msdp group-limit	NX-OS 4.0 through 6.2	ip msdp group-limit	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1980	September 2, 2012 4.11.0	I
120.	ip msdp keepalive	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip msdp keepalive	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1981	February 28, 2012 4.11.0	I
121.	ip msdp mesh-group	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip msdp mesh-group	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1982	February 28, 2012 4.11.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
122.	ip msdp originator-id	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip msdp originator-id	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 1983	June 13, 2012 4.11.0	I
123.	ip msdp peer	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip msdp peer	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 1984	March 19, 2010 4.5.0	I
124.	ip msdp sa-filter in	Cisco IOS 12.0 through 15.4; IOS XE 3.5	ip msdp sa-filter in	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 1986	May 9, 2012 4.11.0	I
125.	ip msdp sa-filter out	Cisco IOS 12.0 through 15.4; IOS XE 3.5;	ip msdp sa-filter out	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 1987	May 9, 2012 4.11.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
126.	ip msdp sa-limit	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip msdp sa-limit	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 1988	September 2, 2012 4.11.0	I
127.	ip msdp shutdown	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip msdp shutdown	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 1989	May 9, 2012 4.11.0	I
128.	ip msdp timer	Cisco IOS 12.1 through 15.4; IOS XE 3.5	ip msdp timer	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 1990	May 9, 2012 4.11.0	I
129.	ip multicast boundary	Cisco IOS 11.1 through 15.4; IOS XE 3.5	ip multicast boundary	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 34, 1820-21	June 10, 2010 4.5.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
130.	ip multicast-routing	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	ip multicast-routing	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 34, 1823	February 10, 2010 4.5.0	I
131.	ip name-server	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip name-server	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 14, 298	September 15, 2007 2.0.0	I
132.	ip nat pool	Cisco IOS 11.2 through 15.4; IOS XE 3.5	ip nat pool	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1338	November 21, 2012 4.11.1	I
133.	ip nat translation tcp-timeout	Cisco IOS 11.2 through 15.4; IOS XE 3.5	ip nat translation tcp-timeout	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1344	January 11, 2013 4.11.3	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
134.	ip nat translation udp-timeout	Cisco IOS 11.2 through 15.4; IOS XE 3.5	ip nat translation udp- timeout	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1345	January 11, 2013 4.11.3	I
135.	ip ospf authentication	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf authentication	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1484	April 27, 2009 4.3.0	I
136.	ip ospf authentication-key	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf authentication-key	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1485	April 27, 2009 4.3.0	I
137.	ip ospf bfd	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	ip ospf bfd	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 34, 1797	February 25, 2013 4.12.3	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
138.	ip ospf cost	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 3.3; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf cost	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1486	April 27, 2009 4.3.0	I
139.	ip ospf dead-interval	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf dead-interval	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1487	April 27, 2009 4.3.0	I
140.	ip ospf hello-interval	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf hello-interval	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1488	April 27, 2009 4.3.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
141.	ip ospf message-digest-key	Cisco IOS 11.0 through 15.4; IOS XR 3.0; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf message-digest-key	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1489	April 27, 2009 4.3.0	I
142.	ip ospf name-lookup	Cisco IOS 11.0 through 15.4; IOS XE 3.5	ip ospf name-lookup	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1490	May 27, 2009 4.3.0	I
143.	ip ospf network	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf network	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p.	March 3, 2011 4.7.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
144.	ip ospf priority	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf priority	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1492	April 27, 2009 4.3.0	I
145.	ip ospf retransmit-interval	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf retransmit-interval	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1493	April 27, 2009 4.3.0	I
146.	ip ospf shutdown	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf shutdown	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1494	April 27, 2009 4.3.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
147.	ip ospf transmit-delay	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf transmit-delay	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1495	April 27, 2009 4.3.0	I
148.	ip pim anycast-rp	NX-OS 4.0 through 6.2	ip pim anycast-rp	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1934	March 25, 2010 4.5.0	I
149.	ip pim bfd	Cisco IOS 15.4; NX-OS 5.0 through 6.2	ip pim bfd	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 34, 1798	February 25, 2013 4.12.3	I
150.	ip pim bfd-instance	NX-OS 5.0 through 6.2	ip pim bfd-instance	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 34, 1799	February 25, 2013 4.12.3	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
151.	ip pim bsr-border	Cisco IOS 11.3 through 15.4; IOS XE 3.5	ip pim bsr-border	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1936	February 28, 2012 4.9.2	I
152.	ip pim bsr-candidate	Cisco IOS 11.3 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip pim bsr-candidate	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1937	February 28, 2012 4.9.2	I
153.	ip pim dr-priority	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip pim dr-priority	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1940	March 19, 2010 4.5.0	I
154.	ip pim log-neighbor-changes	Cisco IOS 12.4 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip pim log-neighbor-changes	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1942	November 1, 2011 4.9.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
155.	ip pim neighbor-filter	Cisco IOS 11.3 through 15.4; IOS XE 3.5	ip pim neighbor-filter	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1943	October 26, 2010 4.6.0	I
156.	ip pim query-interval	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5;	ip pim query-interval	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1944	March 19, 2010 4.5.0	I
157.	ip pim register-source	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 6.2	ip pim register-source	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1945	October 30, 2011 4.9.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
158.	ip pim rp-address	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	ip pim rp-address	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p., EOS v. 4.15.3F, User Manual, p. 36, 1946	March 19, 2010 4.5.0	I
159.	ip pim rp-candidate	Cisco IOS 11.3 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip pim rp-candidate	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1947-48	February 28, 2012 4.9.2	I
160.	ip pim sparse-mode	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	ip pim sparse-mode	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1949	March 19, 2010 4.5.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
161.	ip pim spt-threshold	Cisco IOS 11.1 through 15.4; IOS XR 3.0; IOS XE 3.5	ip pim spt-threshold	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1951	April 5, 2010 4.5.0	I
162.	ip pim spt-threshold group-list	Cisco IOS 11.1 through 15.4	ip pim spt-threshold group-list	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1952	March 14, 2012 4.13.3	I
163.	ip pim ssm range	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip pim ssm range	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1953	July 7, 2011 4.8.2	I
164.	ip prefix-list	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 3.3; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip prefix-list	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 22, 902	September 1, 2010 4.6.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
165.	ip protocol	Cisco IOS 12.0 through 15.4	ip protocol (Monitor Reachability Probe Transmitter)	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 39, 2133	November 24, 2012 4.13.0	I
166.	ip proxy-arp	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip proxy-arp	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1346	September 22, 2005 2.0.0	I
167.	ip radius source-interface	Cisco IOS 11.3 through 15.4; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	ip radius source-interface	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 13, 226	March 28, 2011 4.9.3	I
168.	ip rip v2-broadcast	Cisco IOS 12.1 through 15.4; IOS XE 3.5	ip rip v2-broadcast	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 33, 1720	June 1, 2011 4.8.1	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
169.	ip route	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip route	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1347-48	September 22, 2005 2.0.0	I
170.	ip routing	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip routing	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1349	September 22, 2005 2.0.0	I
171.	ip tacacs source-interface	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	ip tacacs source-interface	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 13, 227	January 17, 2011 4.7.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
172.	ipv6 access-list	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	ipv6 access-list	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 22, 904	May 22, 2012 4.10.1	I
173.	ipv6 address	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ipv6 address	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1398	January 1, 2010 4.4.0	I
174.	ipv6 dhcp relay destination	Cisco IOS 12.4 through 15.4; IOS XE 2.1 through 3.5	ipv6 dhcp relay destination	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1400	April 5, 2012 4.11.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
175.	ipv6 enable	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	ipv6 enable	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1401	January 1, 2010 4.4.0	I
176.	ipv6 host	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	ipv6 host	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 14, 299	July 1, 2011 4.10.0 4.9.4	I
177.	ipv6 access-group	Cisco IOS 12.4 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	ipv6 access-group	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 22, 903	May 22, 2012 4.10.1	I
178.	ipv6 nd managed-config-flag	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ipv6 nd managed-config-flag	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1406	August 1, 2011 4.9.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
179.	ipv6 nd ns-interval	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ipv6 nd ns-interval	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1407	August 1, 2012 4.11.0	I
180.	ipv6 nd other-config-flag	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ipv6 nd other-config-flag	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1408	August 1, 2011 4.9.0	I
181.	ipv6 nd prefix	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 5.2 through 6.2	ipv6 nd prefix	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1409	September 1, 2011 4.9.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
182.	ipv6 nd ra interval	Cisco IOS 12.4 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ipv6 nd ra interval	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1415	August 1, 2011 4.9.0	I
183.	ipv6 nd ra lifetime	Cisco IOS 12.4 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ipv6 nd ra lifetime	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1416	August 1, 2011 4.9.0	I
184.	ipv6 nd ra suppress	Cisco IOS 12.4 through 15.4; IOS XE 2.1 through 3.5	ipv6 nd ra suppress	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1418	August 1, 2011 4.9.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
185.	ipv6 nd reachable-time	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ipv6 nd reachable-time	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1419	August 1, 2011 4.9.0	I
186.	ipv6 nd router-preference	Cisco IOS 12.4 through 15.4; IOS XE 2.1 through 3.5	ipv6 nd router-preference	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1420	August 1, 2011 4.9.0	I
187.	ipv6 neighbor	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ipv6 neighbor	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1421	December 29, 2011 4.10.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
188.	ipv6 ospf area	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	ipv6 ospf area	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1563	June 21, 2011 4.9.0	I
189.	ipv6 ospf cost	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	ipv6 ospf cost	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1564	September 13, 2011 4.10.0	I
190.	ipv6 ospf dead-interval	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	ipv6 ospf dead-interval	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1565	September 13, 2011 4.10.0	I
191.	ipv6 ospf hello-interval	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	ipv6 ospf hello-interval	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1566	September 13, 2011 4.10.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
192.	ipv6 ospf network	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	ipv6 ospf network	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1567	September 13, 2011 4.10.0	I
193.	ipv6 ospf priority	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	ipv6 ospf priority	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1568	June 21, 2011 4.9.0	I
194.	ipv6 ospf retransmit-interval	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	ipv6 ospf retransmit-interval	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1569	September 13, 2011 4.10.0	I
195.	ipv6 ospf transmit-delay	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	ipv6 ospf transmit-delay	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1570	September 13, 2011 4.10.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
196.	ipv6 prefix-list	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ipv6 prefix-list	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 22, 906	January 5, 2012 4.10.0	I
197.	ipv6 route	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ipv6 route	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1423	April 1, 2010 4.5.0	I
198.	ipv6 router ospf	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	ipv6 router ospf	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1571	June 21, 2011 4.9.0	I
199.	ipv6 unicast-routing	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 6.2	ipv6 unicast-routing	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1425	April 1, 2010 4.5.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
200.	isis hello-interval	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	isis hello-interval	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 33, 1739	November 21, 2012 4.11.2	I
201.	isis hello-multiplier	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	isis hello-multiplier	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 33, 1740	November 21, 2012 4.11.2	I
202.	isis lsp-interval	Cisco IOS 11.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	isis lsp-interval	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 33, 1741	December 26, 2012 4.11.2	I
203.	isis metric	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	isis metric	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 33, 1742	November 12, 2012 4.11.2	I
204.	isis passive	NX-OS 4.0 through 6.2	isis passive	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 33, 1744	June 3, 2013 4.13.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
205.	isis passive interface	NX-OS 6.2	passive-interface (IS-IS)	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 33, 1749	June 2013	S
206.	isis priority	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	isis priority	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 33, 1745	November 12, 2012 4.11.2	I
207.	is-type	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	is-type	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 33, 1746	September 12, 2012 4.11.2	I
208.	lacp port-priority	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	lacp port-priority	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 16, 499	April 18, 2008 2.1.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
209.	lacp rate	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 5.2 through 6.2	lacp rate	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 16, 500	April 18, 2008 2.1.0	I
210.	lacp system-priority	Cisco IOS 12.1 through 15.4; IOS XR 4.3 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	lacp system-priority	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 17, 501	April 18, 2008 2.1.0	I
211.	link state group	Cisco IOS 15.1 through 15.4; IOS XE 3.5	link state group	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 19, 683	July 19, 2011 4.10.1	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
212.	link state track	Cisco IOS 15.1 through 15.4; IOS XE 3.5	link state track	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 19, 684	July 19, 2011 4.10.1	I
213.	lldp holdtime	Cisco IOS 12.2 through 15.4; IOS XR 5.2; IOS XE 3.5; NX-OS 5.0 through 6.2	lldp holdtime	EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 18, 627	March 31, 2009 4.2.0	I
214.	lldp receive	Cisco IOS 12.2 through 15.4; NX-OS 5.0 through 6.2	lldp receive	EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 18, 630	March 31, 2009 4.2.0	I
215.	lldp reinit	Cisco IOS 12.2 through 15.4; IOS XR 5.2; NX-OS 5.0 through 6.2	lldp reinit	EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 18, 631	March 31, 2009 4.2.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
216.	lldp run	Cisco IOS 12.2 through 15.4	lldp run	EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 18, 632	March 31, 2009 4.2.0	I
217.	lldp timer	Cisco IOS 12.2 through 15.4; IOS XR 5.2; IOS XE 3.5; NX-OS 5.0 through 6.2	lldp timer	EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 18, 633	March 31, 2009 4.2.0	I
218.	lldp tlv-select	Cisco IOS 12.2 through 15.4; IOS XR 5.2; NX-OS 5.0 through 6.2	lldp tlv-select	EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 18, 634	March 31, 2009 4.2.0	I
219.	lldp transmit	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 5.0 through 6.2	lldp transmit	EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 18, 635	March 31, 2009 4.2.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
220.	load interval	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 5.2 through 6.2	load interval	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 19, 686	June 27, 2008 3.0.0	I
221.	log-adjacency-changes	Cisco IOS 12.1 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 5.2	log-adjacency-changes (OSPFv2)	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1496	May 21, 2010 4.5.0	I
222.	log-adjacency-changes (IS- IS)	IOS XR 3.0 through 5.2; NX-OS 4.0 through 6.2	log-adjacency-changes (IS- IS)	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 33, 1747	November 6, 2012 4.11.2	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
223.	log-adjacency-changes (OSPFv3)	Cisco IOS 15.1 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	log-adjacency-changes (OSPFv3)	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1572	September 13, 2011 4.10.0	I
224.	logging host	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	logging host	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 12, 147	February 10, 2006 2.0.0	I
225.	mac access-group	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	mac access-group	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 22, 907	April 19, 2010 4.5.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
226.	mac access-list	NX-OS 4.0 through 6.2	mac access-list	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 22, 908	April 19, 2010 4.5.0	I
227.	mac address-table aging-time	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	mac address-table aging-time	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 19, 687	February 2, 1006 2.0.0	I
228.	mac address-table static	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	mac address-table static	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 19, 688	February 13, 2006 2.0.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
229.	mac-address	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 6.2	mac-address	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 16, 459	September 22, 2005 2.0.0	I
230.	maximum-paths	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	maximum-paths (OSPF)	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p.	March 7, 2011 4.6.3	I
231.	maximum-paths (OSPFv3)	Cisco IOS 15.1 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	maximum-paths (OSPFv3)	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1574	December 15, 2011 4.10.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
232.	neighbor activate	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5	neighbor activate	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1648	February 13, 2012 4.10.0	I
233.	neighbor allowas-in	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	neighbor allowas-in	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1649	February 22, 2012 4.10.0	I
234.	neighbor default-originate	Cisco IOS 11.0 through 15.4; IOS XE 3.5	neighbor default-originate	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1650	July 25, 2013 4.13.0	I
235.	neighbor description	Cisco IOS 11.3 through 15.4; IOS XE 3.5	neighbor description	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1651	February 10, 2011 4.7.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
236.	neighbor ebgp-multihop	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0	neighbor ebgp-multihop	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1652	March 2, 2011 4.7.0	I
237.	neighbor fall-over bfd	Cisco IOS 12.2 through 15.4; IOS XE 3.5	neighbor fall-over bfd	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 34, 1800	February 25, 2013 4.12.3	I
238.	neighbor local-as	Cisco IOS 12.0 through 15.4; IOS XE 3.5	neighbor local-as	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1656	September 24, 2010 4.6.0	I
239.	neighbor next-hop-self	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	neighbor next-hop-self	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1660	November 10, 2010 4.6.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
240.	neighbor password	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5	neighbor password	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1662	October 6, 2010 4.6.0	I
241.	neighbor peer-group (assigning members)	Cisco IOS 11.0 through 15.4; IOS XE 3.5	neighbor peer-group (neighbor assignment)	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1665	December 19, 2011 4.9.0	I
242.	neighbor peer-group (creating)	Cisco IOS 11.0 through 15.4; IOS XE 3.5	neighbor peer-group (create)	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1663-34	May 24, 2011 4.7.4	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
243.	neighbor remote-as	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	neighbor remote-as	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1666	November 17, 2009 4.4.0	I
244.	neighbor remove-private-as	Cisco IOS 11.0 through 15.4; IOS XE 3.5	neighbor remove-private-as	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1667	May 9, 2011 4.8.1	I
245.	neighbor route-map	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	neighbor route-map (BGP)	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1668	September 7, 2010 4.6.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
246.	neighbor route-reflector- client	Cisco IOS 11.1 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	neighbor route-reflector- client	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1669	October 31, 2011 4.8.3	I
247.	neighbor send-community	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0	neighbor send-community	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1670	September 7, 2011 4.8.1	I
248.	neighbor shutdown	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	neighbor shutdown	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1671	February 1, 2011 4.7.0	I
249.	neighbor soft-reconfiguration	Cisco IOS 11.2 through 15.4; IOS XE 3.5	neighbor soft-reconfiguration	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1672	November 11, 2011 4.9.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
250.	neighbor timers	Cisco IOS 12.0 through 15.4; IOS XE 3.5	neighbor timers	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1673	September 24, 2010 4.6.0	I
251.	neighbor transport connection-mode	Cisco IOS 12.4 through 15.4	neighbor transport connection-mode	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 32, 1674	September 20, 2012 4.11.0	I
252.	neighbor update-source	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0	neighbor update-source	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 32, 1675	March 2, 2011 4.7.0	I
253.	neighbor weight	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	neighbor weight	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 32, 1676	August 8, 2012 4.10.2	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
254.	network area	Cisco IOS 11.0 through 15.4; IOS XR 3.0; IOS XE 3.5	network area (OSPFv2)	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 29, 1500	April 27, 2009 4.3.0	I
255.	no snmp-server	Cisco IOS 11.0 through 15.4; IOS XR 5.2; IOS XE 2.1 through 3.5	no snmp-server	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 37, 2026	February 13, 2008 2.1.0	I
256.	ntp authenticate	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	ntp authenticate	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 14, 300	December 17, 2012 4.12.3	I
257.	ntp authentication-key	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	ntp authentication-key	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 14, 301	October 30, 2012 4.12.3	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
258.	ntp server	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	ntp server	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 14, 304	May 7, 2007 2.0.0	I
259.	ntp source	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ntp source	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 14, 306	August 31, 2010 4.6.2	I
260.	ntp trusted-key	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	ntp trusted-key	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 14, 307	October 30, 2012 4.12.3	I
261.	passive-interface	Cisco IOS 11.0 through 15.4; NX-OS 5.2 through 6.2	passive-interface <interface> (OSPFv2)	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 29, 1503	June 1, 2009 4.3.0 (OSPFv3)	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
262.	passive-interface (OSPFv3)	Cisco IOS 15.1 through 15.4; IOS XE 3.5	passive-interface (OSPFv3)	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 30, 1576	September 13, 2011 4.10.0	I
263.	passive-interface default	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 6.2	passive-interface default (OSPFv2)	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 29, 1502	March 2, 2012 4.10.0	I
264.	policy-map type control- plane	NX-OS 4.0 through 6.2	policy-map type control- plane	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 26, 1248	January 20, 2012 4.10.0-SSO	I
265.	policy-map type qos	IOS XR 5.2; NX-OS 4.0 through 6.2	policy-map type qos	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 26, 1250	July 8, 2012 4.11.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
266.	port-channel load-balance	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 5.2 through 6.2	port-channel load-balance	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 17, 508	April 18, 2008 2.1.0	I
267.	port-channel min-links	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 6.2	port-channel min-links	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 17, 517	June 9, 2010 4.5.0	I
268.	priority1	Cisco IOS 15.0 through 15.4; IOS XR 4.3 through 5.2; IOS XE 3.5; NX-OS 5.2 through 6.2	ptp priority1	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 14, 321	March 15, 2012 4.10.1	S Addition of "ptp" is the only difference
269.	priority2	Cisco IOS 15.0 through 15.4; IOS XR 4.3 through 5.2; IOS XE 3.5; NX-OS 5.2 through 6.2	ptp priority2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 14, 322	March 15, 2012 4.10.1	S Addition of "ptp" is the only difference

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
270.	priority-flow-control mode	NX-OS 5.2 through 6.2	priority-flow-control mode	EOS v. 4.4.0, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 18, 608	January 27, 2010 4.4.0	I
271.	private-vlan	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	private-vlan	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 21, 806	November 8, 2011 4.9.0	I
272.	private-vlan mapping	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	private-vlan mapping	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 21, 807	December 7, 2011 4.9.0	I
273.	ptp domain	NX-OS 5.2 through 6.2	ptp domain	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 14, 314	March 20, 2012 4.10.1	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
274.	ptp sync interval	NX-OS 5.2 through 6.2	ptp sync interval	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 14, 324	March 15, 2012 4.10.1	I
275.	radius-server deadtime	Cisco IOS 11.1 through 15.4; IOS XR 3.3 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	radius-server deadtime	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 13, 230	June 5, 2009 4.2.0	I
276.	radius-server host	Cisco IOS 11.1 through 15.4; IOS XR 4.3 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	radius-server host	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 13, 231	May 19, 2009 4.2.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
277.	radius-server key	Cisco IOS 11.1 through 15.4; IOS XR 3.2 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	radius-server key	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 13, 233	May 19, 2009 4.2.0	I
278.	radius-server retransmit	Cisco IOS 11.1 through 15.4; IOS XR 3.2 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	radius-server retransmit	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 13, 234	May 29, 2009 4.2.0	I
279.	radius-server timeout	Cisco IOS 11.1 through 15.4; IOS XR 3.2 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	radius-server timeout	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 13, 235	May 19, 2009 4.2.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
280.	redundancy force-switchover	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	redundancy force-switchover	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 15, 380	March 29, 2006 2.2.0	I
281.	route-map	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 3.3; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	route-map	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 22, 922	August 4, 2010 4.6.0	I
282.	router bgp	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	router bgp	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 32, 1681	November 17, 2009 4.4.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
283.	router isis	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	router isis	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 33, 1751	September 7, 2012 4.11.2	I
284.	router ospf	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	router ospf	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 29, 1507	April 27, 2009 4.3.0	I
285.	router rip	Cisco IOS 11.0 through 15.4; IOS XR 3.3 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	router rip	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 33, 1723	June 12, 2011 4.8.1	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
286.	router-id	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	router-id (OSPFv2)	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 29, 1506	April 27, 2009 4.3.0	I
287.	router-id (OSPFv3)	Cisco IOS 15.1 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	router-id (OSPFv3)	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 30, 1578	June 21, 2011 4.9.0	I
288.	routing-context vrf	Cisco IOS 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	routing-context vrf	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 27, 1354	July 6, 2012 4.11.0	I
289.	service sequence-numbers	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	service sequence-numbers	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 15, 384	September 17, 2005 1.0.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
290.	set-overload-bit	Cisco IOS 11.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	set-overload-bit	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 33, 1752	November 18, 2012 4.11.2	I
291.	show aaa method-lists	Cisco IOS 12.2 through 15.4; IOS XE 3.5	show aaa method-lists	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 13, 242	August 4, 2008 2.2.0	I
292.	show aaa sessions	Cisco IOS 15.2 through 15.4; IOS XE 3.5	show aaa sessions	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 13, 243	November 12, 2008 3.0.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
293.	show arp	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show arp	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 27, 1355	October 22, 2007 2.0.0	I
294.	show bfd neighbors	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 6.2	show bfd neighbors	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 34, 1801	February 25, 2013 4.12.3	I
295.	show clock	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show clock	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 15, 329	May 1, 2007 2.0.0	I
296.	show dot1q-tunnel	Cisco IOS 12.2 through 15.4; NX-OS 5.0 through 6.2	show dot1q-tunnel	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 21, 808	July 7, 2009 4.3.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
297.	show dot1x	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show dot1x	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 18, 596		I
298.	show dot1x all summary	Cisco IOS 12.1 through 15.4; NX-OS 4.0 through 6.2	show dot1x all summary	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 18, 598	August 13, 2013 4.13.3	I
299.	show dot1x statistics	Cisco IOS 12.2 through 15.4; IOS XE 3.5	show dot1x statistics	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 18, 597		I
300.	show environment all	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1	show environment all	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 16, 425	October 1, 2007 2.0.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
301.	show environment cooling	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5	show environment cooling	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 16, 426	January 5, 2007 2.0.0	I
302.	show environment power	IOS XR 3.0 through 5.2; NX-OS 5.0 through 6.2	show environment power	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 16, 427	April 24, 2007 2.0.0	I
303.	show environment temperature	Cisco IOS 11.2 through 12.1; IOS XR 3.0 through 5.2; IOS XE 2.1	show environment temperature	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 16, 428	January 5, 2007 2.0.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
304.	show etherchannel	Cisco IOS 12.0 through 15.4; IOS XE 3.5	show etherchannel	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 17, 518	October 8, 2010 4.7.0	I
305.	show hostname	NX-OS 4.0 through 6.2	show hostname	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 15, 336	July 18, 2013 4.13.0	I
306.	show hosts	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show hosts	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 15, 337	July 21, 2011 4.10.0	I
307.	show interfaces	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show interfaces	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 19, 706	September 22, 2005 2.0.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
308.	show interfaces capabilities	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show interfaces capabilities	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 16, 462	May 19, 2006 2.0.0	I
309.	show interfaces description	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 6.2	show interfaces description	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 19, 708	March 9, 2006 2.0.0	I
310.	show interfaces flowcontrol	IOS 12.2 through 15.4; IOS XE 3.5	show flowcontrol	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 16, 460	May 19, 2006 2.0.0	S Addition of "interfaces" only difference

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
311.	show interfaces private-vlan mapping	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 6.2	show interfaces private-vlan mapping	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 21, 809	December 7, 2011 4.9.0	I
312.	show interfaces status	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 6.2	show interfaces status	EOS v. 4.0.1, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 16, 471	May 19, 2006 2.0.0	I
313.	show interfaces switchport	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 6.2	show interfaces switchport	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 21, 810	February 9, 2006 2.0.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
314.	show interfaces switchport backup	Cisco IOS 12.2 through 15.4; IOS XE 3.5	show interfaces switchport backup	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 21, 811	June 4, 2008 2.1.0	I
315.	show interfaces transceiver	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 6.2	show interfaces transceiver	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 16, 473	February 24, 2011 4.7.0	I
316.	show interfaces trunk	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 6.2	show interfaces trunk	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 21, 812	September 16, 2010 4.6.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
317.	show inventory	Cisco IOS 12.4 through 15.4; IOS XR 3.3 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show inventory	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 11, 75	September 13, 2007 2.0.0	I
318.	show ip access-lists	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip access-lists	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 22, 930	August 22, 2009 4.3.0	I
319.	show ip arp	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip arp	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1358	October 22, 2007 2.0.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
320.	show ip bgp	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 3.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ip bgp	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1684	December 16, 2009 4.4.0	I
321.	show ip bgp community	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip bgp community	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1685	December 20, 2011 4.9.0	I
322.	show ip bgp neighbors	Cisco IOS 11.0 through 15.4; IOS XE 3.5	show ip bgp neighbors (route type)	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1688	December 16, 2009 4.4.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
323.	show ip bgp neighbors	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ip bgp neighbors	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1686	December 16, 2009 4.4.0	I
324.	show ip bgp paths	Cisco IOS 11.0 through 15.4; IOS XE 3.5	show ip bgp paths	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1692	December 16, 2009 4.4.0	I
325.	show ip bgp peer-group	Cisco IOS 11.0 through 15.4; IOS XE 3.5	show ip bgp peer-group	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1693	June 23, 2011 4.7.4	I
326.	show ip bgp regexp	Cisco IOS 11.0 through 15.4; IOS XE 3.5	show ip bgp regexp	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1694	June 26, 2013 4.13.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
327.	show ip bgp summary	Cisco IOS 11.0 through 15.4; IOS XE 3.5	show ip bgp summary	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1695	December 21, 2009 4.4.0	I
328.	show ip community-list	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip community-list	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1696	September 7, 2011 4.8.1	I
329.	show ip dhcp snooping	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip dhcp snooping	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1362	June 4, 2013 4.13.0	I
330.	show ip extcommunity-list	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 6.2	show ip extcommunity-list	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1697	September 7, 2011 4.8.1	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
331.	show ip helper-address	Cisco IOS 12.4 through 15.4; IOS XE 3.5	show ip helper-address	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1365	May 5, 2011 4.8.2	I
332.	show ip igmp groups	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip igmp groups	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 35, 1901	April 26, 2010 4.5.0	I
333.	show ip igmp interface	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip igmp interface	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 35, 1904	April 19, 2010 4.5.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
334.	show ip igmp snooping	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip igmp snooping	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 35, 1907	August 28, 2008 2.3.0	I
335.	show ip igmp snooping groups	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip igmp snooping groups	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 35, 1910	August 28, 2008 2.3.0	I
336.	show ip igmp snooping mrouter	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip igmp snooping mrouter	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 35, 1914	August 28, 2008 2.3.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
337.	show ip igmp snooping querier	Cisco IOS 12.4 through 15.4; NX-OS 4.0 through 6.2	show ip igmp snooping querier	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1915	August 28, 2008 2.3.0	I
338.	show ip interface	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ip interface	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1366	September 22, 2005 2.0.0	I
339.	show ip interface brief	Cisco IOS 12.4 through 15.4; IOS XR 3.4 through 5.2; IOS XE 3.5	show ip interface brief	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1367	February 26, 2009 4.0.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
340.	show ip mfib	Cisco IOS 15.0 through 15.4; IOS XE 2.1 through 3.5	show ip mfib	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 34, 1824	March 31, 2010 4.5.0	I
341.	show ip mroute	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip mroute	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 34, 1826	March 20, 2010 4.5.0	I
342.	show ip mroute count	Cisco IOS 11.0 through 15.4; IOS XE 3.5	show ip mroute count	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 34, 1827	November 16, 2010 4.6.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
343.	show ip msdp mesh-group	NX-OS 4.0 through 6.2	show ip msdp mesh-group	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 1991	July 30, 2012 4.11.0	I
344.	show ip msdp peer	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip msdp peer	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 1992	March 20, 2010 4.11.0	I
345.	show ip msdp rpf-peer	Cisco IOS 12.4 through 15.4; IOS XE 3.5	show ip msdp rpf-peer	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 1994	August 30, 2012 4.11.0	I
346.	show ip msdp sa-cache	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip msdp sa-cache	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 1995	March 20, 2010 4.11.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
347.	show ip msdp summary	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip msdp summary	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 1997	December 29, 2012 4.12.0	I
348.	show ip nat translations	Cisco IOS 11.2 through 15.4; IOS XE 3.5	show ip nat translations	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1370	June 19, 2012 4.10.0-7150	I
349.	show ip ospf	Cisco IOS 11.0 through 15.4; IOS XR 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ip ospf	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1508	May 26, 2009 4.3.0	I
350.	show ip ospf border-routers	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip ospf border-routers	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1510	May 24, 2010 4.5.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
351.	show ip ospf database database-summary	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip ospf database database-summary	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1511	July 16, 2009 4.3.0	I
352.	show ip ospf interface	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip ospf interface	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1516	May 26, 2009 4.3.0	I
353.	show ip ospf neighbor	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ip ospf neighbor	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1519	May 26, 2009 4.3.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
354.	show ip ospf request-list	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip ospf request-list	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1523	May 24, 2010 4.5.0	I
355.	show ip ospf retransmission- list	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip ospf retransmission- list	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1524	May 24, 2010 4.5.0	I
356.	show ip pim interface	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ip pim interface	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1956	March 20, 2010 4.5.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
357.	show ip pim neighbor	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ip pim neighbor	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1957	March 20, 2010 4.5.0	I
358.	show ip pim rp	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip pim rp	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1960	March 20, 2010 4.5.0	I
359.	show ip pim rp-hash	Cisco IOS 11.3 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip pim rp-hash	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1962	October 24, 2013 4.14.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
360.	show ip prefix-list	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ip prefix-list	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 22, 931	September 26, 2010 4.6.0	I
361.	show ip rip database	Cisco IOS 12.0 through 15.4; IOS XE 3.5	show ip rip database	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 33, 1724	June 17, 2011 4.8.1	I
362.	show ip rip neighbors	Cisco IOS 15.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip rip neighbors	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 33, 1725	January 31, 2009 4.3.0	I
363.	show ip route	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip route	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 1371	September 22, 2005 2.0.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
364.	show ip route summary	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip route summary	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1376	August 15, 2011 4.8.1	I
365.	show ip route tag	Cisco IOS 15.2 through 15.4	show ip route tag	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1377	August 28, 2011 4.8.1	I
366.	show ipv6 access-list	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	show ipv6 access-list	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 22, 932	May 22, 2012 4.10.1	I
367.	show ipv6 bgp	NX-OS 4.0 through 6.2	show ipv6 bgp	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1698	December 8, 2011 4.10.0-SSO	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
368.	show ipv6 bgp community	Cisco IOS 12.2; NX-OS 4.0 through 6.2	show ipv6 bgp community	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1699	February 27, 2012 4.10.0-SSO	I
369.	show ipv6 bgp neighbors	NX-OS 4.0 through 6.2	show ipv6 bgp neighbors	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1700	February 14, 2012 4.10.0-SSO	I
370.	show ipv6 bgp summary	NX-OS 4.0 through 6.2	show ipv6 bgp summary	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1706	March 27, 2012 4.10.0-SSO	I
371.	show ipv6 interface	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ipv6 interface	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1430	January 7, 2010 4.4.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
372.	show ipv6 neighbors	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ipv6 neighbors	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1432	December 29, 2011 4.10.0-SSO	I
373.	show ipv6 ospf	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5	show ipv6 ospf	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1579	June 21, 2011 4.9.0	I
374.	show ipv6 ospf border- routers	Cisco IOS 12.2; IOS XE 2.1 through 3.5	show ipv6 ospf border- routers	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1580	June 21, 2011 4.9.0	I
375.	show ipv6 ospf interface	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5	show ipv6 ospf interface	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1590	June 21, 2011 4.9.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
376.	show ipv6 ospf neighbor	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5	show ipv6 ospf neighbor	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1591	June 21, 2011 4.9.0	I
377.	show ipv6 prefix-list	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ipv6 prefix-list	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 22, 933	January 5, 2012 4.10.0-SSO	I
378.	show ipv6 route	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ipv6 route	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1433	April 9, 2010 4.5.0	I
379.	show ipv6 route summary	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 5.2	show ipv6 route summary	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1437	September 27, 2012 4.12.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
380.	show ipv6 route tag	Cisco IOS 15.2 through 15.4	show ipv6 route tag	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1438	August 29, 2011 4.8.1	I
381.	show isis database	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show isis database	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 33, 1753	September 26, 2012 4.11.2	I
382.	show isis interface	IOS XR 3.0 through 5.2; NX-OS 4.0 through 6.2	show isis interface	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 33, 1755	October 24, 2012 4.11.2	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
383.	show isis topology	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show isis topology	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 33, 1760	May 30, 2013 4.13.0	I
384.	show lacp counters	IOS XR 3.2 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show lacp counters	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 17, 520	April 30, 2008 2.1.0	I
385.	show lacp interface	NX-OS 4.0 through 6.2	show lacp interface	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 17, 521	April 30, 2008 2.1.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
386.	show lacp neighbor	NX-OS 4.0 through 6.2	show lacp neighbor	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 17, 524	April 30, 2008 2.1.0	I
387.	show link state group	Cisco IOS 15.1 through 15.4; IOS XE 3.5	show link state group	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 19, 709	July 19, 2011 4.10.1	I
388.	show lldp	Cisco IOS 12.2 through 15.4; IOS XR 4.3 through 5.2; IOS XE 3.5	show lldp	EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 18, 636	April 3, 2009 4.2.0	I
389.	show lldp neighbors	Cisco IOS 15.4; IOS XR 4.3 through 5.2; IOS XE 3.5; NX-OS 5.0 through 6.2	show lldp neighbors	EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 18, 639	April 3, 2009 4.2.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
390.	show lldp traffic	Cisco IOS 15.4; IOS XR 4.3 through 5.2; IOS XE 3.5; NX-OS 5.0 through 6.2	show lldp traffic	EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 18, 641	April 3, 2009 4.2.0	I
391.	show mac access-list	Cisco IOS 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show mac access-list	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 22, 934	April 19, 2010 4.5.0	I
392.	show mac address-table	Cisco IOS 11.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show mac address-table	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 19, 710	February 2, 2006 2.0.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
393.	show mac address-table aging time	Cisco IOS 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show mac address-table aging time	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 19, 712	February 2, 2006 2.0.0	I
394.	show mac address-table count	IOS XE 3.5; NX-OS 4.0 through 6.2	show mac address-table count	EOS v. 4.0.1, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 19, 713	February 2, 2006 2.0.0	I
395.	show module	Cisco IOS 12.2 through 15.4; IOS XR 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show module	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 12, 167	March 9, 2006 2.0.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
396.	show monitor session	Cisco IOS 12.2 through 15.0; IOS XR 5.2; IOS XE 2.1; NX-OS 4.0 through 6.2	show monitor session	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 19, 721	September 23, 2008 3.0.0	I
397.	show ntp associations	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	show ntp associations	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 15, 340	May 8, 2007 2.0.0	I
398.	show ntp status	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	show ntp status	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 15, 341	May 8, 2007 2.0.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
399.	show policy-map control-plane	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show policy-map type control-plane	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 26, 1273	January 20, 2012 4.10.0-SSO	I
400.	show policy-map interface	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 6.2	show policy-map interface type qos	EOS v. 4.11.1.2, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 26, 1278	January 20, 2012 4.10.0-SSO	I
401.	show policy-map interface control-plane	NX-OS 5.0 through 6.2	show policy-map interface control-plane	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 26, 1277	January 20, 2012 4.10.0-SSO	I
402.	show port-channel summary	NX-OS 4.0 through 6.2	show port-channel summary	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 17, 532	June 28, 2010 4.6.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
403.	show port-channel traffic	NX-OS 4.0 through 6.2	show port-channel traffic	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 17, 533	December 20, 2010 4.7.0	I
404.	show port-security	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show port-security	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 19, 722	March 23, 2010 4.4.0	I
405.	show port-security address	Cisco IOS 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show port-security address	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 19, 723	March 23, 2010 4.4.0	I
406.	show port-security interface	IOS XE 3.5; NX-OS 4.0 through 6.2	show port-security interface	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 20, 724	March 23, 2010 4.4.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
407.	show privilege	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 6.2	show privilege	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 13, 244	October 6, 2008 3.0.0	I
408.	show ptp clock	NX-OS 5.2 through 6.2	show ptp clock	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 15, 343	March 20, 2012 4.11.0	I
409.	show ptp parent	NX-OS 5.2 through 6.2	show ptp parent	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 15, 347	September 6, 2012 4.11.0	I
410.	show ptp time-property	NX-OS 5.2 through 6.2	show ptp time-property	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 15, 349	September 10, 2012 4.11.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
411.	show radius	IOS XR 3.2 through 5.2; NX-OS 4.0 through 6.2	show radius	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 13, 245	May 19, 2009 4.2.0	I
412.	show redundancy states	Cisco IOS 12.2 through 15.4; IOS XR 5.2; IOS XE 3.5	show redundancy states	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 15, 386	March 29, 2006 2.0.0	I
413.	show reload	Cisco IOS 11.0 through 15.4; IOS XE 2.1	show reload	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 15, 388	May 29, 2009 4.2.0	I
414.	show role	NX-OS 4.0 through 6.2	show role	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 13, 246	July 30, 2012 4.11.2	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
415.	show route-map	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show route-map	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 22, 935	August 4, 2010 4.6.0	I
416.	show snmp	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show snmp	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 2027	December 24, 2007 2.1.0	I
417.	show snmp chassis	Cisco IOS 12.4 through 15.4; IOS XE 3.5	show snmp chassis	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 2028	January 4, 2008 2.1.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
418.	show snmp community	Cisco IOS 12.4 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show snmp community	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 2029	January 29, 2008 2.1.0	I
419.	show snmp contact	Cisco IOS 12.4 through 15.4; IOS XE 3.5	show snmp contact	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 2030	December 24, 2007 2.1.0	I
420.	show snmp engineID	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show snmp engineID	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 2031	January 29, 2008 2.1.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
421.	show snmp group	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show snmp group	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 2032	January 29, 2008 2.1.0	I
422.	show snmp host	Cisco IOS 12.4 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show snmp host	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 2033	January 29, 2008 2.1.0	I
423.	show snmp location	Cisco IOS 12.4 through 15.4; IOS XE 3.5	show snmp location	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 2034	December 24, 2007 2.1.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
424.	show snmp mib	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5	show snmp mib	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 2035	July 26, 2013 4.10.7	I
425.	show snmp source-interface	NX-OS 5.0 through 6.2	show snmp source-interface	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 2036	December 27, 2012 4.12.0	I
426.	show snmp trap	NX-OS 4.0 through 6.2	show snmp trap	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 2037	June 25, 2012 4.11.0	I
427.	show snmp user	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show snmp user	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 2038	January 29, 2008 2.1.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
428.	show snmp view	Cisco IOS 12.4 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5	show snmp view	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 2039	January 29, 2008	I
429.	show spanning-tree	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show spanning-tree	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 23, 1010	August 20, 2007 2.0.0	I
430.	show spanning-tree blockedports	NX-OS 6.2	show spanning-tree blockedports	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 23, 1013	December 7, 2007 2.0.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
431.	show spanning-tree bridge	NX-OS 4.0 through 6.2	show spanning-tree bridge	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 23, 1014	August 20, 2007 2.0.0	I
432.	show spanning-tree interface	NX-OS 4.0 through 6.2	show spanning-tree interface	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 23, 1016	August 20, 2007 2.0.0	I
433.	show spanning-tree mst	Cisco IOS 12.2 through 15.4; IOS XR 4.3 through 5.2; IOS XE 2.1; NX-OS 4.0 through 6.2	show spanning-tree mst	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 23, 1017	August 20, 2007 2.0.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
434.	show spanning-tree mst configuration	Cisco IOS 15.4; IOS XR 4.3 through 5.2; IOS XE 2.1; NX-OS 4.0 through 6.2	show spanning-tree mst configuration	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 23, 1019	December 7, 2007 2.0.0	I
435.	show spanning-tree mst interface	IOS XR 4.3 through 5.2; NX-OS 6.2	show spanning-tree mst interface	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 23, 1020	August 20, 2007 2.0.0	I
436.	show spanning-tree root	NX-OS 4.0 through 6.2	show spanning-tree root	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 23, 1022	August 20, 2007 2.0.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
437.	show storm-control	Cisco IOS 12.2 through 15.4; IOS XE 3.5	show storm-control	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 20, 725	July 30, 2010 4.6.0	I
438.	show tacacs	Cisco IOS 11.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show tacacs	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 13, 247	June 4, 2008 2.1.0	I
439.	show track	Cisco IOS 12.2 through 15.4; IOS XR 4.3 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show track	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 20, 727	December 28, 2011 4.10.0-SSO	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
440.	show user-account	NX-OS 4.0 through 6.2	show user-account	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 13, 248	October 29, 2010 4.7.0	I
441.	show users	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show users	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 13, 249	April 14, 2006 2.1.0	I
442.	show version	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show version	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 12, 172	December 12, 2006 2.0.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
443.	show vlan	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show vlan	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 21, 814	February 7, 2006 2.0.0	I
444.	show vlan private-vlan	NX-OS 4.0 through 6.2	show vlan private-vlan	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 21, 818	November 8, 2011 4.7.0	I
445.	show vlan summary	NX-OS 6.2	show vlan summary	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 21, 819	April 5, 2006 2.0.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
446.	show vrf	Cisco IOS 12.2 through 15.4; IOS XR 3.5 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show vrf	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1380	August 30, 2011 4.10.0	I
447.	show vrrp	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show vrrp	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 23, 961	February 15, 2010 4.4.0	I
448.	snmp trap link-status	Cisco IOS 11.0 through 15.4; IOS XR 5.2; IOS XE 2.1 through 3.5	snmp trap link-status	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 38, 2055	November 7, 2009 4.4.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
449.	snmp-server chassis-id	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5	snmp-server chassis-id	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 2040	January 4, 2008 2.1.0	I
450.	snmp-server community	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	snmp-server community	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 2041	December 24, 2007 2.1.0	I
451.	snmp-server contact	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	snmp-server contact	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 2042	December 24, 2007 2.1.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
452.	snmp-server enable traps	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	snmp-server enable traps	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 2043	December 1, 2010 4.7.0	I
453.	snmp-server engineID local	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	snmp-server engineID local	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 2044	January 18, 2008 2.1.0	I
454.	snmp-server engineID remote	Cisco IOS 12.1 through 15.4; IOS XR 4.3 through 5.2; IOS XE 2.1 through 3.5	snmp-server engineID remote	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 2045	February 27, 2008 2.1.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
455.	snmp-server group	Cisco IOS 11.3 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	snmp-server group	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 38, 2047	January 15, 2008 2.1.0	I
456.	snmp-server host	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	snmp-server host	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 38, 2048	January 15, 2008 2.1.0	I
457.	snmp-server location	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	snmp-server location	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 38, 2050	December 24, 2007 2.1.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
458.	snmp-server source-interface	Cisco IOS 12.2 through 15.4; IOS XE 2.1; NX-OS 5.0 through 6.2	snmp-server source-interface	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 38, 2051	January 4, 2011 4.7.0	I
459.	snmp-server user	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	snmp-server user	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 38, 2052	January 10, 2008 2.1.0	I
460.	snmp-server view	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	snmp-server view	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 38, 2053	January 4, 2008 2.1.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
461.	spanning-tree bpdupfilter	Cisco IOS 12.2 through 15.4; NX-OS 4.0 through 6.2	spanning-tree bpdupfilter	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 23, 1024	October 13, 2009 4.3.0	I
462.	spanning-tree bpduguard	Cisco IOS 12.2; NX-OS 4.0 through 6.2	spanning-tree bpduguard	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 23, 1025	December 18, 2008 3.1.0	I
463.	spanning-tree bridge assurance	NX-OS 4.0 through 6.2	spanning-tree bridge assurance	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 24, 1030	August 6, 2010 4.6.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
464.	spanning-tree cost	Cisco IOS 12.0 through 15.4; NX-OS 4.0 through 6.2	spanning-tree cost	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 24, 1031	August 20, 2007 2.0.0	I
465.	spanning-tree guard	Cisco IOS 12.2; NX-OS 4.0 through 6.2	spanning-tree guard	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 24, 1033	July 7, 2010 4.6.0	I
466.	spanning-tree link-type	Cisco IOS 12.2; NX-OS 4.0 through 6.2	spanning-tree link-type	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 24, 1035	August 20, 2007 2.0.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
467.	spanning-tree loopguard default	Cisco IOS 12.2; NX-OS 4.0 through 6.2	spanning-tree loopguard default	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 24, 1036	August 10, 2010 4.6.0	I
468.	spanning-tree mode	Cisco IOS 12.2 through 15.4; NX-OS 4.0 through 6.2	spanning-tree mode	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 24, 1039	August 13, 2007 2.0.0	I
469.	spanning-tree mst configuration	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	spanning-tree mst configuration	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 24, 1040	April 6, 2009 4.1.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
470.	spanning-tree portfast bpdupfilter default	Cisco IOS 12.2	spanning-tree portfast bpdupfilter default	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 24, 1044	November 7, 2011 4.9.0	I
471.	spanning-tree portfast bpduguard default	Cisco IOS 12.2	spanning-tree portfast bpduguard default	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 24, 1045	December 18, 2008 3.1.0	I
472.	spanning-tree port-priority	Cisco IOS 12.0 through 15.4; NX-OS 4.0 through 6.2	spanning-tree port-priority	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 24, 1047	December 7, 2007 2.0.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
473.	spanning-tree transmit hold-count	Cisco IOS 12.2	spanning-tree transmit hold-count	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 24, 1050	August 20, 2007 2.0.0	I
474.	spanning-tree vlan	Cisco IOS 12.0 through 15.4; IOS XE 2.1; NX-OS 4.0 through 6.2	spanning-tree vlan	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 24, 1051	March 5, 2009 2.0.0	I
475.	spf-interval	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	spf-interval	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 33, 1762	December 26, 2012 4.11.2	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
476.	statistics per-entry	NX-OS 4.0 through 6.2	statistics per-entry (ACL configuration modes)	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 22, 936	July 21, 2011 4.8.1	I
477.	storm-control	Cisco IOS 12.2 through 15.4; IOS XR 4.3 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	storm-control	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 20, 729	July 30, 2010 4.6.0	I
478.	switchport access vlan	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	switchport access vlan	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 21, 822	February 7, 2006 2.0.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
479.	switchport backup interface	Cisco IOS 12.2 through 15.4	switchport backup interface	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 24, 1052	June 4, 2008 2.1.0	I
480.	switchport mode	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	switchport mode	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 21, 823	February 9, 2006 2.0.0	I
481.	switchport port-security	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	switchport port-security	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 20, 733	March 23, 2010 4.4.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
482.	switchport port-security maximum	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	switchport port-security maximum	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 20, 734	March 23, 2010 4.4.0	I
483.	switchport private-vlan mapping	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	switchport private-vlan mapping	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 21, 825	November 8, 2011 4.9.0	I
484.	switchport trunk allowed vlan	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	switchport trunk allowed vlan	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 21, 826	April 23, 2007 2.0.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
485.	switchport trunk native vlan	Cisco IOS 12.2 through 15.4; NX-OS 4.0 through 6.2	switchport trunk native vlan	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 21, 828	April 23, 2007 2.0.0	I
486.	switchport vlan mapping	Cisco IOS 12.2 through 15.4; IOS XE 3.5;	switchport vlan mapping	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 21, 829	February 28, 2013 4.12.0	I
487.	tacacs-server host	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	tacacs-server host	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 13, 250-51	June 4, 2008 2.1.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
488.	tacacs-server key	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	tacacs-server key	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 13, 252	June 4, 2008 2.1.0	I
489.	tacacs-server timeout	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	tacacs-server timeout	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 13, 254	June 4, 2008 2.1.0	I
490.	terminal length	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	terminal length	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 12, 176	January 28, 2009 4.0.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
491.	terminal monitor	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	terminal monitor	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 12, 177	March 25, 2010 4.5.0	I
492.	timers basic (RIP)	Cisco IOS 11.0 through 15.4; IOS XR 3.3 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	timers basic (RIP)	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 33, 1727	July 6, 2011 4.8.1	I
493.	timers bgp	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	timers bgp	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1708	November 17, 2009 4.4.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
494.	timers lsa arrival	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	timers lsa arrival (OSPFv2)	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1527	July 12, 2013 4.12.0	I
495.	timers throttle lsa all	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	timers throttle lsa all (OSPFv2)	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1528	July 12, 2013 4.13.0	I
496.	timers throttle spf	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	timers throttle spf (OSPFv2)	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.15.3F, User Manual, p.	December 27, 2012 EOS4.12.0	I
497.	username sshkey	NX-OS 4.0 through 6.2	username sshkey	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 14, 257	August 20, 2010 4.7.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
498.	vlan internal allocation policy	Cisco IOS 12.2	vlan internal allocation policy	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 21, 832	January 3, 2011 4.7.0	I
499.	vrf definition	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	vrf definition	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1381	August 30, 2011 4.10.0	I
500.	vrf forwarding	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 6.2	vrf forwarding	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1382	August 30, 2011 4.10.0	I
501.	vrrp authentication	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 6.2	vrrp authentication	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 23, 964	June 8, 2009 4.3.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
502.	vrrp delay reload	Cisco IOS 15.1 through 15.4; IOS XR 3.4 through 5.2; IOS XE 3.5	vrrp delay reload	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 23, 965	September 16, 2013 4.13.0	I
503.	vrrp description	Cisco IOS 12.0 through 15.4; IOS XE 3.5	vrrp description	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 23, 966	June 8, 2009 4.3.0	I
504.	vrrp ip	Cisco IOS 12.0 through 15.4; IOS XR 5.2; IOS XE 3.5	vrrp ip	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 23, 967	June 8, 2009 4.3.0	I
505.	vrrp ip secondary	IOS 12.0 through 15.4; IOS XE 3.5	vrrp ip secondary	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 23, 968	December 15, 2009 4.4.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
506.	vrrp preempt	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5	vrrp preempt	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 23, 972	June 8, 2009 4.3.0	I
507.	vrrp priority	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5	vrrp priority	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 23, 975	June 8, 2009 4.3.0	I
508.	vrrp shutdown	Cisco IOS 12.4 through 15.4; IOS XE 3.5	vrrp shutdown	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 23, 976	June 8, 2009 4.3.0	I

	Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Exemplary Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version	Identical (I) or Similar (S)
509.	vrrp timers advertise	Cisco IOS 12.0 through 15.4; IOS XE 3.5	vrrp timers advertise	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 23, 977	June 8, 2009 4.3.0	I

Arista User Manuals

Date	Manual	Bates Begin	Bates End
4/8/2009	Arista Networks EOS User Manual Version 4.0.1	CSI-CLI-00007244	CSI-CLI-00007472
3/31/2010	Arista Networks EOS User Manual Version 4.4.0	CSI-CLI-00007473	CSI-CLI-00007840
3/28/2011	Arista Networks EOS User Manual Version 4.6.2	CSI-CLI-00006858	CSI-CLI-00007243
7/19/2012	Arista Networks EOS User Manual Version 4.10.0	CSI-CLI-00007841	CSI-CLI-00008984
1/22/2013	Arista Networks EOS User Manual Version 4.11.1 - Rev. 2	CSI-CLI-00010517	CSI-CLI-00011972
3/1/2013	Arista Networks EOS User Manual Version 4.11.2.1	CSI-CLI-00008985	CSI-CLI-00010516
9/16/2013	Arista Networks EOS User Manual Version 4.12.4	CSI-CLI-00014141	CSI-CLI-00016000

4/14/2014	Arista Networks EOS User Manual Version 4.13.6F	CSI-CLI-00016001	CSI-CLI-00018140
6/17/2014	Arista Networks EOS User Manual Version 4.13.7M	CSI-CLI-00011973	CSI-CLI-00014140
10/2/2014	Arista Networks EOS User Manual Version 4.14.3F - Rev. 2	CSI-CLI-00018146	CSI-CLI-00020337
12/22/2014	Arista Networks EOS User Manual Version 4.14.5F - Rev. 2	CSI-CLI-00000084	CSI-CLI-00002331
1/19/2015	Arista Networks EOS User Manual Version 4.14.6M	CSI-CLI-00004616	CSI-CLI-00006857
4/2015	Arista Networks EOS User Manual Version 4.15.OF - Rev. 2.27	CSI-CLI-00020575	CSI-CLI-00022852
4/18/2015	Arista Networks EOS User Manual Version 4.15.OF	CSI-CLI-00002332	CSI-CLI-00004615
11/20/2015	Arista Networks EOS User Manual Version 4.15.3F	CSI-CLI-06302874	CSI-CLI-06305161